Type of Care	EMR	EMT	AEMT	Paramedic
Airway	 Oral airway BVM Sellick's Maneuver Head-tilt chin lift Jaw thrust Modified chin lift Obstruction—manual Oxygen therapy Nasal cannula Non-rebreather face mask Upper airway suctioning Pulse Ox/Carbon Monoxide monitoring 		All skills of EMT plus: • Tracheobronchial Suctioning of the Already Intubated Patient	All skills of AEMT plus: BiPAP/CPAP Needle chest decompression Chest tube monitoring Percutaneous cricothyrotomy ETCO2/Capnography NG/OG tube Nasal and oral Endotracheal intubation Airway obstruction removal by direct laryngoscopy PEEP Tracheobronchial Suctioning
Cardiac Care	CPRAED	All skills of EMR plus: • Mechanical CPR	All skills of EMT plus:	Cardioversion
Trauma Care	 Manual cervical stabilization Manual extremity stabilization Cervical Collars Long Spine Board Eye irrigation Direct pressure Hemorrhage control Emergency moves for endangered patien 	All skills of EMR plus: Seated spinal immobilization Extremity splinting Traction splinting Mechanical pt restraint Tourniquet MAST/PASG Rapid extrication	All skills of EMT plus: None	All skills of AEMT plus: • Morgan lens
Obstetrics	Assisted normal delivery	All skills of EMR plus: • Assisted complicated delivery	All skills of EMT plus: None	All skills of AEMT plus: None
Med Administration	Unit dose auto-injectors for self or peer care (MARK I)	All skills of EMR plus: • Assisting a patient in administering his/her own prescribed medications, including auto-injection • PHYSICIAN-approved over-the-counter medications (oral glucose, ASA for chest pain of suspected ischemic origin)	All skills of EMT plus: SL Nitroglycerine for chest pain of suspected ischemic origin SQ or IM epinephrine for anaphylaxis glucagon and IV D50 for hypoglycemia Inhaled beta agonist for dyspnea and wheezing Narcotic antagonist Nitrous oxide for pain relief	All skills of AEMT plus:
Med Administration Routes	Unit dose auto-injectors for self or peer care (MARK I)	All skills of EMR plus:	All skills of EMT plus:	All skills of AEMT plus: Endotracheal IV (push and infusion) NG Rectal IO Topical Accessing implanted central IV port
IV/IO	None	May not initiate IV but may transport the following with Medical Director Approval ONLY PCA pump with any medication or fluid infusing through a peripheral IV. Medication infusing through a peripheral IV or continuous subcutaneous catheter via a closed, locked system. IV fluids infusing through a peripheral IV via gravityor an infusing system that allows the technician to change the rate of infusion are limited to D5W, Lactated Ringers, sodium chloride (nine-tenths percent (0.9%) or less), potassium chloride (twenty (20) milliequivalent per liter or less for emergency medical technicians. At no time will piggy-back or secondary intravenous line or blood products be transported.	All skills of EMT plus: Peripheral IV insertion IV fluid infusion IO (Adult and Pediatric) Obtain a blood sampl Obtain a blood sample May transport the following with Medical Director Approval ONLY Vitamins Sodium chloride, excluding saline solutions in excess of nine-tenths percent (0.9%) concentration Potassium chloride (forty (40) milliequivalent pliter maximum) Cortisone Antibiotics	рег
Vital Signs and Chemistry	Manual BPPulse Ox/Carbon Monoxide monitoring	All skills of EMR plus:	All skills of EMT plus: Blood glucose monitor	All skills of AEMT plus: Blood chemistry analysis